

TRACHEOSTOMY SUPPLIES

Effective date: Aug. 1, 2024

Review dates: None yet recorded

Date of origin: May 2024

APPLIES TO

Commercial plans. Medicare will continue to follow CMS policy and articles, and Medicaid will continue to follow MDHHS/CHAMPS.

DEFINITION

This policy identifies the payment policy and documentation requirements associated with tracheostomy supplies.

In alignment with the Centers of Medicare and Medicaid Services (CMS), local coverage determinations and articles, a quantity for tracheostomy supplies is outlined below. These are defined quantities based on standards identified as reasonable and necessary for the usual member.

POLICY SPECIFIC INFORMATION**Documentation requirements**

We are aligned with CMS standard documentation requirements for supplies and DME. This is outlined in [article A55426](#). Reference this article for documentation requirements.

Documentation must support refill requests as outlined in the linked article.

Supplies shouldn't be dispensed for more than a 3-month quantity.

- Written order for supplies must be on file and dated prior to receipt of supplies by the member
- The narrative in the NTE Segment of electronic claim should outline the number of months being billed. This is in addition to the description of the supplies being provided (if applicable)
- Supplies with a date of service during or before a discharge date for an inpatient facility stay will be denied
- Proof of delivery must be detailed in the medical record. Failure to detail the date of delivery as outlined by CMS in the standard documentation requirements article may result in denial of the claim or overpayment recovered
- Suppliers must avoid delivery of refills in an automated manner – affirmation from the member must be obtained before refills are dispensed. Member refill requests must be documented in the medical record
- Atypical utilization quantities should be validated with treating/ordering physician to confirm and document utilization

As noted within the documentation requirements, it's essential to clearly detail the member needs and any appropriate detail to support quantities that may exceed the maximum supplies as outlined below. Supplies that exceed the maximums detailed below will require medical

documentation review to support the excess units. Without this specific detail, units exceeding the maximums outlined below remain denied.

Supply quantities

Code	# per month (unless noted)
A4364	4
A4402	4
A4450	40
A4452	40
A4456	50
A4481	62
A4623	62
A4625	31
A4626	2
A4629	31
A5120	150
A7501	1
A7502	1
A7503	1 per 6 months
A7504	62
A7505	2 per 3 months
A7506	62
A7507	62
A7508	62
A7509	62
A7520	1 per 3 months
A7521	1 per 3 months
A7522	1 per 12 months
A7524	1 per 3 months
A7526	31
A7527	2 per 3 months

Tracheostomy care or cleaning starter kits are coded with HCPCS A4625 and provided within the first two postoperative weeks. This initial care kit is comprised of the following items:

- Plastic tray (1)
- Basin (1)
- Sterile gloves (1 pair)
- Tube brush (1)
- Pipe cleaners (3)
- Pre-cut tracheostomy dressing (1)
- Gauze (1 roll)
- Sponges (4 4x4)
- Cotton tip applicators (2)
- Twill tape (30 inches)

These items are coded as a kit and not reimbursed individually outside of the defined kit.

An established tracheostomy care kit is coded with HCPCS A4629 and provided after the second post operative weeks. This established care kit is comprised of the following items:

- Tube brush (1)
- Pipe cleaners (2)
- Sponges (2 4x4)
- Cotton tip applicators (2)
- Twill tape (30 inches)

These items are coded as a kit and not reimbursed individually outside of the defined kit.

Tracheostomy cleaning brush coded with A4625 is inclusive to both starter (A4625) and established (A4629) tracheostomy kits and not reimbursed separately.

Tracheostomy tube positioning is secured with a collar/holder coded with HCPCS A7526 (Tracheostomy tube collar/holder, each). This collar/holder is utilized to minimize tube movement, reduce risk of cannula disruption.

- Twill ties, twill tape or equivalent supplies (fabric or plastic) aren't coded with HCPCS A7526.

Tracheostomy tubes coded with A7520, A7521, A7522 include all variations of tube constructions even when classified as customized. This includes obtaining tube dimensions, all materials, any cuffs or associated connectors or any other materials.

Heat/moisture exchangers may be coded when supplied. These devices supply warmth and humidity during inhalation and exhalation which would normally be performed by the nose and upper airway. This device is placed over the tracheostoma via a plastic housing cassette/holder held in place by an adhesive. This device can be used alone or in conjunction with a tracheostoma valve.

- The tracheostoma valve with diaphragm is coded with HCPCS A7501. This device is supplied to members with trachea-esophageal voice prosthesis due to larynx removal. A tracheostomy tube is no longer present.
- **A7503** is coded for each filter holder or filter cap and are reusable with the heat/moisture exchange system.
- **A7504** is coded for each filter in a tracheostoma with the heat/moisture exchange system.
- **A7506** is coded for each type of adhesive disc for use with the heat/moisture exchange system and/or with tracheostoma valve.
- **A7507** is coded for each filter holder and integrated filter without adhesive, for use with the heat/moisture exchange system.
- **A7508** is coded for each housing and integrated adhesive, for use in a tracheostoma with the heat/moisture exchange system and/or with a tracheostoma valve.
- **A7509** is a filter holder and integrated filter housing, and adhesive, for use as a tracheostoma heat and moisture exchange system

Supplies that aren't considered part of the heat/moisture exchange system:

- **A4481: Tracheostoma filter, any type, any size, each:** This filter has an adhesive edge and is utilized to cover and keep debris out of the tracheostoma.
- **A4483: Moisture exchanger, disposable, for use with invasive mechanical ventilation:** This disposable moisture exchanger is utilized with a mechanical ventilator and should not be coded as a heat/moisture exchanger for a tracheostoma.

Tracheostomy supplies coded with an unlisted code such as E1399 or A9999 must include a detailed description of the supply and any supporting documentation as to why a listed code defined for these supplies isn't applicable.

- Unlisted codes billed without a detailed descriptions or supporting information will be denied.
- Unlisted codes above shouldn't be coded for any tracheostomy tube. These will be denied as more appropriate codes exist for these tracheostomy tubes.

Modifiers

Modifier AU is coded with the following items to identify items supplied in conjunction with a tracheostomy supply:

- **A4450:** Tape, non-waterproof, per 18 sq in
- **A4452:** Tape, waterproof, per 18 sq in
- **A5120:** Skin barrier, wipes, or swabs, each

CHANGE / REVIEW HISTORY

Date	Revisions made