

Radiation oncology coding policy

Policy effective date: Sept. 23, 2024

Applies to

All plans

Definition

Radiation therapy uses high-energy radiation to shrink tumors and kill cancer cells. X-rays, gamma rays, and charged particles are types of radiation used for cancer treatment. The radiation may be delivered by a machine outside the body (external-beam radiation therapy), or it may come from radioactive material placed in the body near cancer cells (internal radiation therapy, also called brachytherapy). - from cancer.gov

- A course of radiation follows a process of care which can include the following:
- Clinical treatment planning CPT 77261-77263
- Simulation CPT 77280-77290
- Treatment planning (codes vary depending on the type of radiation; ex: brachytherapy, IMRT) - codes are outlined below
- Medical radiation physics, dosimetry, treatment devices and special services
- Radiation treatment management

Click the links below to navigate this policy:

- [Clinical treatment planning](#)
- [Treatment simulation](#)
- [Dosimetry](#)
- [Isodose and port plans](#)
- [Treatment devices](#)
- [Medical physics consults](#)
- [Special / associated services](#)
- [Superficial radiation therapy](#)
- [Conventional radiation therapy](#)
- [Brachytherapy](#)
- [Intensity modulated radiation therapy \(IMRT\)](#)
- [Proton beam therapy \(PBT\)](#)
- [Stereotactic body radiation therapy \(SBRT\) and Stereotactic radiosurgery \(SRS\)](#)
- [Standards for CPT 77432 and 77435](#)
- [Image guidance radiation therapy](#)
- [General documentation / coding requirements](#)
- [IMRT documentation requirements](#)
- [SBRT / SRS documentation requirements](#)
- [Coding](#)
- [Bundling](#)
- [References](#)

Clinical treatment planning

| | |
|--------------|---|
| 77261 | Therapeutic radiology treatment planning; simple. Consists of a single area of malignancy with a single port or opposing ports parallel to each other and basic or no blocking. |
| 77262 | Therapeutic radiology treatment planning; intermediate. Consists of two separate areas of malignancy with three or more ports that converge, multiple blocks, or time or dosage considerations. |
| 77263 | Therapeutic radiology treatment planning; complex. Consists of three or more separate areas of malignancy with tangential ports, wedges or compensators, complex blocking, a combination of two or more modes of treatment, or rotating or other beam considerations. |

Treatment simulation

| | |
|--------------|--|
| 77280 | Therapeutic radiology simulation-aided field setting; simple. Done for a single area of malignancy with a single port or opposing ports parallel to each other and basic or no blocking. |
| 77285 | Therapeutic radiology simulation-aided field setting; intermediate. Done for two separate areas of malignancy with three or more ports and multiple blocks. |
| 77290 | Therapeutic radiology simulation-aided field setting; complex. Done for three or more areas of malignancy with tangential ports and complex blocking that may require customized shielding blocks, rotation or arc therapy, brachytherapy source and hyperthermia probe verification, and use of contrast materials. |
| 77293 | Respiratory motion management simulation (List separately in addition to code for primary procedure) |

A typical course of radiation therapy will require between one and three simulations, with no more than one simulation reported on any given day.

Verification simulations (77280) for intensity modulated radiation therapy (IMRT) are not billable with IMRT courses of therapy.

Dosimetry

| | |
|--------------|--|
| 77300 | Basic radiation dosimetry calculation, central axis depth dose calculation, TDF, NSD, gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non-ionizing radiation surface and depth dose, as required during course of treatment, only when prescribed by the treating physician |
| | <ul style="list-style-type: none">• Only one calculation is billable per port/beam angle or arc for 3D and IMRT external beam treatments.• Multiple calculations per beam angle, when billable, are not allowed due to linear accelerator limitations (e.g. split carriage fields).• Monitor unit calculations (CPT 77300) are considered bundled into brachytherapy isodose planning codes (CPT 77316, 77317, 77318) |
| 77331 | Special dosimetry (eg, TLD, microdosimetry) (specify), only when prescribed by the treating physician. Special dosimetry uses measuring and monitoring devices when the physician deems it necessary to calculate the total amount of radiation that a patient has received at any given point. The results determine whether to uphold or alter the current treatment plan. |
| | <ul style="list-style-type: none">• This type of dosimetry is mainly used as a source of independent dose verification, and can be performed using film, diodes or TLDs, among other tools.• If performed, special dosimetry measurements may occur only once per port/field, when supported by medical necessity, and should not be performed as a routine procedure.• CPT 77331 is not billable for QA or output measurements associated with IMRT or stereotactic procedures. |
| | Special dosimetry (i.e., TLD, microdosimetry) (specify), only when prescribed by the treating physician. |
| | To support a claim for CPT 77331, the healthcare provider must document the following information: |
| | <ul style="list-style-type: none">• The prescription from the treating physician for special dosimetry• The type of dosimetry used, such as TLD or microdosimetry• The date and time of the dosimetry procedure• The results of the dosimetry measurements• Any adjustments made to the treatment plan based on the dosimetry results• Signature of the healthcare provider performing the dosimetry procedure |

| | |
|--------------|---|
| 77399 | Unlisted procedure, medical radiation physics, dosimetry and treatment devices, and special services <ul style="list-style-type: none"> • When requested, rationale and documentation must be submitted for review. • Unlisted services should not be used for a service that is packaged or bundled into other services. |
|--------------|---|

Isodose and port plans

Dosimetry calculations (77300) are inclusive of the below plans and not separately reportable.

| | |
|--------------|---|
| 77306 | Teletherapy isodose plan; simple (1 or 2 unmodified ports directed to a single area of interest), includes basic dosimetry calculation(s) |
| 77307 | Teletherapy isodose plan; complex (multiple treatment areas, tangential ports, the use of wedges, blocking, rotational beam, or special beam considerations), includes basic dosimetry calculation(s) |
| 77321 | Special teletherapy port plan, particles, hemibody, total body. A special teletherapy port plan calculates the dosage level of the treatment portal for the use of electrons or heavy particles when used in a portion of or as the main mode of treatment for the field of interest. |

Treatment devices

| | |
|--------------|---|
| 77332 | Treatment devices, design and construction; simple (simple block, simple bolus) |
| 77333 | Treatment devices, design and construction; intermediate (multiple blocks, stents, bite blocks, special bolus) |
| 77334 | Treatment devices, design and construction; complex (irregular blocks, special shields, compensators, wedges, molds or casts) |
| 77338 | Multi-leaf collimator (MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan |

- Treatment device services contain a professional and technical component.
 - The professional component is based upon the physician's participation in the actual design of the block.
 - The technical component is based on each individual block requiring time and materials to be fabricated.
- There are 2 types of treatment devices: immobilization and beam-modifying.
 - Immobilization devices assist in establishing and maintaining a reproducible treatment position for the patient to undergo treatments

- Beam-modifying devices assist in creating the shape of the treatment portal and also protects critical structures near or inside the area receiving radiation.
 - Simple blocks are considered pre-made electron block, breast board or a standard bolus
 - Intermediate blocks are considered bite blocks or a customized bolus
 - Complex blocks are considered Alpha cradles, Vac-locks, Aquaplast mask, MLCs or both custom shields and custom molds. These devices are any item molded or created for a particular patient and cannot be used for another patient's treatment but have the ability to be re-designed for another patient at a later time.
-
- Use of passive restraints such as straps, pillows, sandbags, etc., is not billable
 - Only one beam-modifying device is billable per port/field
 - A mirrored pair of devices is billable as one professional and one technical device between the two ports. Mirrored devices are treatment fields are parallel opposed in which the devices are a mirror image of each other.
 - 77338 is only billed once per MLC-based IMRT plan, regardless of the number of ports constructed for the plan.
 - 77338 may be allowed for a boost plan

Medical physics consults

| | |
|--------------|---|
| 77336 | Continuing medical physics consultation, including assessment of treatment parameters, quality assurance of dose delivery, and review of patient treatment documentation in support of the radiation oncologist, reported per week of therapy |
| | <ul style="list-style-type: none">• May be reported after every 5 radiation treatments. Complete, short courses of therapy (1-2 fractions), 77336 may be billed for a quantity of 1• Review of the medical record by the physicist well after the treatment has been finalized is not billable. |
| 77370 | <p>Special medical radiation physics consultation</p> <ul style="list-style-type: none">• Done at direct request of the radiation oncologist when the complexity of the treatment plan is great.• Requires a written analysis on the course of treatment• Allowed 1 time per course of therapy• 77370 is not reportable for IMRT QA as the QA is a necessary and required function of the IMRT planning <p>Special medical radiation physics consultation required under special circumstances (e.g., radiation to a pregnant patient); technical component only.</p> <p>To support a claim for CPT code 77370, the following documentation is required:</p> <ul style="list-style-type: none">• A request from the treating physician to the physicist for a written analysis of how to deal with the specific treatment problem• A customized written report from the physicist, including details such as dose calculation, blocking, and other necessary information for delivering treatment• Inclusion of the report in the patient's chart <p>CPT code 77370 should be reported once under the following circumstances: brachytherapy, stereotactic radiosurgery (SRS) or stereotactic body radiation therapy (SBRT), use of radioisotopes, patient has an implanted cardiac devices, reconstruction of previous radiation therapy plan, pregnant patient undergoing radiation therapy, or fusion of three-dimensional image sets such as positron emission tomography (PET) scan or magnetic resonance imaging (MRI) scan. IMRT planning (77301) includes fusion of three-dimensional image sets such as PET scan or MRI scan. (ASTRO, 2023)</p> |

Special / associated services

| | |
|--------------|--|
| 77470 | Special treatment procedure (i.e., total body irradiation, hemibody radiation, per oral or endocavitary irradiation) |
| | This code covers circumstances requiring extra and inordinate amounts of time and effort, managed throughout the course of treatment. These special circumstances are not considered routine for the service being performed. |
| | The maximum quantity of special treatment procedures (77470) allowed per course of treatment is one (1). |
| | To support a claim for CPT 77470, the following information should be documented: |
| | <ul style="list-style-type: none">• Request from the provider• Patient's medical history and diagnosis, indicating the need for a special treatment procedure.• Detailed treatment plan, including advanced radiation physics, medical imaging, and special dose calculations.• Procedure notes, describing the steps taken during the special treatment procedure and any complications or issues encountered.• Post-procedure assessment and follow-up care plan, if applicable. |
| | Circumstances where CPT 77470 is not appropriately reported |
| | <ul style="list-style-type: none">• CPT is not intended to report IMRT, 3-D conformal radiotherapy treatment planning or contouring, or due to co-morbidities.• Receipt only of concurrent or recently completed chemotherapy. In order to report 77470, documentation must include the extensive work done for the management of concurrent chemotherapy in combination with radiation therapy. |
| 77399 | Unlisted procedure, medical radiation physics, dosimetry and treatment devices, and special services |
| | CPT code 77399 should only be reported if no other code adequately describes the procedure or service in question. Click here for additional requirements for billing unlisted procedure codes. |

Superficial radiation therapy

| | |
|--------------|---|
| 77401 | Radiation treatment delivery, superficial and/or ortho voltage, per day. |
| | The below services are considered inclusive to the superficial treatment and not separately payable. Superficial radiation treatment includes: |
| | <ul style="list-style-type: none"> • Treatment planning (77261-77263) • Treatment devices, design and construction (77332-77334) • Teletherapy isodose plan (77306-77307) • Brachytherapy isodose plan (77316-77318) • Continuing medical physics consultation (77336) • Radiation treatment management, 5 treatments (77427) • Radiation therapy management (77431-77435) • Intraoperative radiation treatment management (77469) • Special treatment procedure (77470) |

Conventional radiation therapy

| | |
|----------------------|--|
| 77402 | Radiation treatment delivery, ≥ 1 MeV; simple. |
| 77407 | Radiation treatment delivery, ≥ 1 MeV; intermediate. |
| 77412 | Radiation treatment delivery, ≥ 1 MeV; complex. |
| G6003 – G6006 | Radiation treatment delivery, single treatment area, single port or parallel opposed ports, simple blocks or no blocks: up to 5 mev; 6-10 mev; ;11-19 mev; 20 mev or greater |
| G6007 – G6010 | G6010 Radiation treatment delivery, 2 separate treatment areas, 3 or more ports on a single treatment area, use of multiple blocks: up to 5 mev; 6-10 mev; 11-19 mev; 20 mev or greater |
| G6011 – G6014 | G6014 Radiation treatment delivery, 3 or more separate treatment areas, custom blocking, tangential ports, wedges, rotational beam, compensators, electron beam; up to 5 mev; 6-10 mev; 11-19 mev; 20 mev or greater |

Brachytherapy

Brachytherapy is a type of radiation therapy that utilizes natural or manufactured radioactive isotopes or radionuclides that are temporarily or permanently implanted to treat malignancies or certain benign conditions and derives a physical advantage based upon the inverse square law of physics. Brachytherapy is accomplished by implanting a sealed radioactive source directly in or adjacent to the tumor or treatment site. The basic clinical brachytherapy formats are: superficial, interstitial, intracavitary or intraluminal therapy. “Electronic” brachytherapy, which utilizes miniature X-ray sources operating at low-kilovoltage energies to approximate dose distributions achieved with radionuclide brachytherapy for selected cases, is an emerging

treatment modality and not subject to this Model Policy. Brachytherapy may use a solid radioactive source, such as a 'seed' or liquid colloid isotopes and may be either temporary or permanent. Further, brachytherapy may be called high-dose-rate or low-dose-rate depending on the dose delivery per hour.

| | |
|--|--|
| 0394T | High dose rate electronic brachytherapy, skin surface application, per fraction, includes basic dosimetry, when performed.' |
| To support a claim for CPT code 0394T, the healthcare provider must document the following information: | |
| <ul style="list-style-type: none"> • Type and stage of the skin cancer being treated • Prescribed dose and dose calculation • Date and duration of the procedure • Details of the treatment, including the use of an X-ray generator and any shielding • Signature of the healthcare provider performing the procedure | |
| 0395T | High dose rate electronic brachytherapy, interstitial or intracavitary treatment, per fraction, includes basic dosimetry, when performed.' |
| To support a claim for CPT 0395T, the provider must document the following information: | |
| <ul style="list-style-type: none"> • Specific details of the procedure performed, including the placement of the catheter and the use of the radioactive substance • Date and duration of the procedure • Calculation of the dose of the radioactive substance before loading it into the catheter • Any additional relevant information, such as the type and stage of cancer being treated • Signature of the provider performing the procedure | |

Intensity modulated radiation therapy (IMRT)

Intensity Modulated Radiation Therapy (IMRT) is a technology for delivering highly conformal external beam radiation to a well-defined treatment volume with radiation beams whose intensity varies across the beam. IMRT is particularly useful for delivering a highly conformal radiation dose to targets positioned near sensitive normal tissues.

IMRT is considered reasonable and medically necessary in instances where sparing the surrounding normal tissue is of added clinical benefit to the patient.

| | |
|--------------|--|
| 77385 | Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple |
| 77386 | Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; complex |

| | |
|--------------|---|
| G6015 | Intensity modulated treatment delivery, single or multiple fields/arcs, via narrow spatially and temporally modulated beams, binary, dynamic mlc, per treatment session |
| G6016 | Compensator-based beam modulation treatment delivery of inverse planned treatment using 3 or more high resolution (milled or cast) compensator, convergent beam modulated fields, per treatment session |

Proton beam therapy (PBT)

Proton Beam Therapy (PBT) is a technology for delivering conformal external beam radiation with positively charged subatomic particles to a well-defined treatment volume. PBT is approved by the U.S. Food and Drug Administration. PBT has unique dose deposition characteristics and can deliver radiation to specified anatomic targets while giving less collateral dose to surrounding normal tissues in comparison to photon/X-ray-based forms of external beam radiotherapy.

| | |
|--------------|--|
| 77520 | <p>Proton treatment delivery; simple, without compensation.</p> <p>To support a claim for CPT 77520, the provider must document the following information:</p> <ul style="list-style-type: none"> • Details of the proton therapy treatment delivered • Specific use of a single non-tangential port • Absence of compensators during the treatment |
| 77522 | <p>Proton treatment delivery; simple, with compensation.</p> <p>To support a claim for CPT 77522, the provider must document the following information:</p> <ul style="list-style-type: none"> • Details of the treatment performed, including the use of a proton beam and compensators • Specifics of the simple treatment delivery, such as the use of a single non-tangential port • Date and duration of the treatment • Any additional relevant information, such as the location of the tumor and proximity to sensitive structures |

| | |
|--------------|--|
| 77523 | Proton treatment delivery; intermediate. |
| | To support a claim for CPT 77523, the provider must document the following information: |
| | <ul style="list-style-type: none"> • Specific details of the treatment performed, including the number of treatment areas irradiated and the number of ports or tangential ports used • Use of custom blocks and compensators, if applicable • Date and duration of the treatment session • Signature of the provider performing the treatment |
| 77522 | Proton treatment delivery; complex. |
| | To support a claim for CPT 77522, the provider must document the following information: |
| | <ul style="list-style-type: none"> • Patient's diagnosis and the need for complex proton therapy treatment • Treatment plan, including the treatment areas, number of ports per treatment area, and use of multiple isocenters or patch fields • Date and duration of the treatment session • Details of the treatment delivery, including the use of custom blocks and compensators • Progress made by the patient and any additional treatment sessions scheduled • Provider's signature |

PBT is considered reasonable in instances where sparing the surrounding normal tissue is of added clinical benefit to the patient and cannot be adequately achieved with photon-based radiation therapy.

Stereotactic Body Radiation Therapy (SBRT) and Stereotactic Radiosurgery (SRS)

SBRT is a radiation treatment modality that couples a high degree of anatomic targeting accuracy and reproducibility with very high doses of extremely precise, externally generated, ionizing radiation. The therapeutic intent of SBRT is to maximize cell-killing effect on the target(s) while minimizing radiation-related injury in adjacent normal tissues. Stereotactic Radiosurgery (SRS) is similar in concept to SBRT; however, SRS generally refers to stereotactically guided radiation therapy delivered to intracranial targets and selected tumors near the base of the skull, whereas SBRT generally describes stereotactic therapy to extracranial sites.

Stereotactic Radiosurgery (SRS) is a distinct discipline that utilizes externally generated ionizing radiation to ablate or eradicate definite target(s) in the head without the need to make an incision. To assure quality of patient care, the procedure involves a multidisciplinary team that may consist of a radiation oncologist, medical physicist, radiation therapist and a neurosurgeon.

| | |
|--------------|---|
| 77371 | Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; multi-source Cobalt 60 based. |
| 77372 | Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; linear accelerator based |
| 77373 | <p>Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions.</p> <p>CPT 77373 should not be reported in conjunction with certain other codes, such as 77385, 77386, 77401, 77402, 77407, and 77412. For single fraction cranial lesions, a different code, such as 77371 or 77372, should be used.</p> |
| G0339 | Image-guided robotic linear accelerator-based stereotactic radiosurgery, complete course of therapy in one session or first session of fractionated treatment. |
| G0340 | Image-guided robotic linear accelerator-based stereotactic radiosurgery, delivery including collimator changes and custom plugging, fractionated treatment, all lesions, per session, second through fifth sessions, maximum five sessions per course of treatment. |

In alignment with CMS, Codes 77373, G0339 and G0340 will pay **only once per day of treatment regardless of the number of sessions or lesions.**

Standards for CPT 77432 and 77435

| | |
|--------------|---|
| 77432 | <p>Stereotactic radiation treatment management of cranial lesion(s) (complete course of treatment consisting of 1 session)</p> <p>To support a claim for CPT 77432, the provider must document the following information:</p> <ul style="list-style-type: none"> • Identification of the target area inside the brain using the stereotactic method • Review of previously taken CT or MRI images to locate the small targets or lesions • Date and duration of the treatment session • Patient’s response to treatment • Coordination of care and treatment • Review of imaging and/or lab test results • Review of port films, dosimetry, dose delivery, and other treatment parameters • Evaluation of treatment set up and the use of blocks and wedges <p>One (1) stereotactic management (CPT® 77432) may be approved when one stereotactic treatment delivery fraction of a cranial lesion is authorized for the provider.</p> |
|--------------|---|

| | |
|--------------|--|
| 77435 | <p>Stereotactic body radiation therapy, treatment management, per treatment course, to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions</p> <p>To support a claim for CPT 77435, the provider must document the following information:</p> <ul style="list-style-type: none"> • Identification of the target area and the number of lesions being treated • Details of the image guidance used during the treatment • Date and duration of each treatment session • Assessment of the patient's response to treatment • Coordination of care and treatment • Review of imaging and/or lab test results • Review of port films, dosimetry, dose delivery, and other treatment parameters • Evaluation of treatment set up and the use of blocks and wedges <p>CPT code 77435 code will pay only once per course of therapy</p> <ul style="list-style-type: none"> • One (1) stereotactic body radiation therapy (SBRT) management (CPT 77435) may be approved when one (1) fraction of stereotactic radiosurgery is authorized for sites other than the cranium OR when two (2) to five (5) stereotactic delivery fractions are authorized for any site. • Maximum number of stereotactic deliveries is five (5). Requests of stereotactic management in which the treatment course is greater than five (5) treatments will not be authorized as a stereotactic management. <p>SRS is typically performed in a single session. If more than one session is required, SBRT codes must be used.</p> |
|--------------|--|

Image guided radiation therapy

Image Guided Radiation Therapy (IGRT) uses imaging technology to modify treatment delivery, which accounts for changes in the target's position.

| | |
|--------------|---|
| 77014 | Computed tomography guidance for placement of radiation therapy fields |
| 77387 | Guidance for localization of target volume for delivery of radiation treatment, includes intrafraction tracking, when performed |
| 77417 | Therapeutic radiology port image(s) |
| G0001 | Ultrasonic guidance for placement of radiation therapy fields |
| G6002 | Stereoscopic x-ray guidance for localization of target volume for the delivery of radiation therapy |
| G6017 | Intra-fraction localization and tracking of target or patient motion during delivery of radiation therapy (e.g., 3D positional tracking, gating, 3D surface tracking), each fraction of treatment |

Priority Health follows standard bundling rules for imaging services.

- CPT 77417 (port images) may be billed 1 time for each 5 fractions of therapy
- CPT 77417 is billed as 1 unit regardless of the number of images taken
- Only 1 type of imaging may be allowed for the same site of treatment

General documentation / coding requirements

Healthcare providers should ensure that the necessary documentation is in place to support the procedure performed.

This may include:

- Treatment goal must be documented (curative, palliative or tumor control) in medical record
- Record must contain patient's informed consent to treatment
- Medical records are logical and clear (recommend flow charts, where helpful)
- Prescription or treatment plan designed by radiation oncologist must be on file and signed
- Treated illness/clinical management level
- Treatment type, delivery, changes
- Designation - treatment site and isotope
- Designation - number of source positions
- Planned dose to each point
- Reports
- Simulation, physicist, dosimetry, radiological, etc.
- Any patient referrals/consultations
- Records or pictures may use colored lines for film-based and black to show calculated dose distribution

IMRT documentation requirements

- Reasonable and necessary requirements as outlined under Indications and Limitations of Coverage and/or Medical Necessity section of this policy and must be available to Medicare for review upon request
- Prescription must define goals and requirements of treatment plan, including specific dose constraints for target(s) and nearby critical structures
- Statement by treating physician documenting special need for performing IMRT on patient in question, rather than performing conventional or 3-dimensional treatment planning and delivery
- Signed and dated IMRT inverse plan that meets prescribed dose constraints for planning target volume (PTV) and surrounding normal tissue using either dynamic multi-leaf collimator (DMLC) or segmented multi-leaf collimator (SMLC) (average number of "steps" required to meet IMRT delivery is 5), or inverse planned IMRT solid compensators to achieve intensity modulation radiation delivery
- Target verification methodology includes:
 - Both PTV or Planning treatment volume and Clinical treatment volume (CTV)
 - immobilization and patient positioning

- Means of dose verification and secondary means of verification
- Before patient's first treatment, monitor units (MUs), generated by IMRT treatment plan, must be independently checked
- Documenting fluence distributions; meaning fluence map from treatment planning system (TPS) from electronic portal imaging device (EPID) images must be validated for 10 head and neck IMRT cases

SBRT / SRS documentation requirements

- Support medical necessity and frequency
- Patient history/physical
- Functional status
- Karnofsky Status or Eastern Cooperative Oncology Group (ECOG) Performance
 - Measures patient's ability to survive chemotherapy, with performance scales of 100-0 and grades from 0-5. SBRT is not considered medical necessary for patients with poor performance status of Karnofsky (less than 40 or ECOG-3 or worse)
- Date and current treatment dose
- Radiation oncologist E/M decisions
- Document and sign

Coding

Diagnosis code(s) must be coded to the highest level of specificity to best describe the patient's condition for service performed. Unspecified diagnosis codes will be denied. Get additional information [in our Provider Manual](#).

For diagnostic tests, report the definitive diagnosis of the test when available; otherwise, report signs and symptoms resulting in performance of the test.

Bundling

Priority Health follows CMS NCCI guidance for bundling of services. Some radiation oncology services bundle when performed as part of the treatment plan development and may be billed on different days. Get additional information on bundled services [from CMS](#).

References

- [Radiation Oncology - JE Part B - Noridian \(noridianmedicare.com\)](#)
- [Medicare Claims Processing Manual – Chapter 13 – Radiology Services and Other Diagnostic Procedures](#)
- [Dosimetry Planning - Radiation Oncology Coding Standard \(NIA\)](#)
- [Treatment Devices - Radiation Oncology Coding Standard \(NIA\)](#)
- [Stimulations – Radiation Oncology Coding Standard \(NIA\)](#)
- [Physics – Radiation Oncology Coding Standard \(NIA\)](#)
- [CHAPTER IX - RADIOLOGY SERVICES - CPT CODES 70000 – 79999 – FOR MEDICARE NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL](#)