

SKIN CONDITIONS
Effective Date: September 1, 2025

Review Dates: 8/02, 2/03, 8/03, 7/04, 7/05, 6/06,
2/07, 8/07, 2/08, 2/09, 10/09, 4/10, 4/11, 4/12, 4/13,
5/14, 5/15, 5/16, 5/17, 5/18, 5/19, 5/20, 5/21, 5/22,
8/22, 8/23, 8/24, 8/25

Date of Origin: August 28, 2002

Status: Current

Summary of Changes
Clarification:

- At home phototherapy (UVB) treatments for indications other than psoriasis including vitiligo are experimental and investigational and/or not medically necessary.
- At home UVB treatments may be medically necessary for members who are unable to travel for office-based treatment due to serious medical or physical conditions (e.g. confined to the home, severity and frequency of flares) or have a history of frequent psoriasis flares which require immediate treatment to control.
- Formatting.

Addition:

- Total Body Photography, cryotherapy for the treatment of acne, and salabrasion are not medically necessary.

I. POLICY/CRITERIA

- A.** Coverage for the following skin conditions associated with the listed codes and all subgroups within these major coding groups is limited to office visits and prescription drug therapy only. Other therapies and treatments are not covered.

L57.3	Poikiloderma of Civatte
L63.0 – L63.9	Alopecia areata
L64.0 – L64.9	Androgenic alopecia
L65.0 – L65.9	Other nonscarring hair loss
L66.0 – L66.9	Cicatricial alopecia [scarring hair loss]
L70.0 - L70.9	Acne
L71.1 - L71.9	Rosacea
L73.0	Acne keloid
L81.0 – L81.9	Other disorders of pigmentation
L84	Corns and callosities
L85.1	Acquired keratosis [keratoderma] palmaris et plantaris
L95.8	Other vasculitis limited to the skin
L95.9	Vasculitis limited to the skin, unspecified
L98.8	Other specified disorders of the skin and subcutaneous tissue
L98.9	Disorder of the skin and subcutaneous tissue, unspecified

B. Treatment of Skin Conditions

1. **Acne Surgery** (e.g., marsupialization, opening or removal of multiple milia, comedones, cysts, pustules) is not medically necessary.
2. **Alopecia:**
 - i. Treatment of alopecia (or baldness) including drugs, prosthetics, ointments and surgical transplantation are considered cosmetic in nature and not medically necessary.
 - ii. Treatment or services to prevent hair loss (e.g., cooling therapy or devices during chemotherapy) are considered cosmetic and not covered.
3. **Chemical Peel:** Medium and deep chemical peels for actinic keratoses and other pre-malignant skin lesions are a covered benefit when patients have 15 or more lesions, such that it becomes impractical to treat each lesion individually, AND they have failed to adequately respond to treatment with topical 5-fluorouracil (5-FU).
 - i. Chemical peels are not covered for the treatment of non-malignant (simple) lesions.
 - ii. Chemical peels are not covered for active acne, acne scarring, skin wrinkling, or other cosmetic purposes.
4. **Cosmetic Skin Conditions:** Treatment of cosmetic skin conditions (including but not limited to those listed above) is not medically necessary. Priority Health defines cosmetic as any condition which if left untreated will result in no adverse medical outcome.
5. **Facial Dermabrasion**
 - i. Dermabrasion for the removal of superficial basal cell carcinomas and pre-cancerous actinic keratoses using the conventional method of controlled surgical scraping (dermaplaning) or carbon dioxide (CO2) laser is medically necessary when conventional methods of removal such as cryotherapy, curettage, excision, and 5-FU (Efudex) are impractical due to the number and distribution of the lesions.
 - ii. Dermabrasion is not medically necessary for conditions including, but not limited to:
 - a. Removal of acne scars because its use for these indications is considered cosmetic.
 - b. For use in treating active acne because dermabrasion has been shown to increase inflammation associated with active acne.
6. **Keloid formation:** Removal is medically necessary when at least one of the following are met:
 - i. Formation is due to complications arising from a medically necessary service when the treatment of the complication itself is medically necessary (e.g., major surgery such as organ transplantation and the development of a lesion secondary to host vs. graft syndrome).

- ii. Excision of lesion and restoration of body form following an accidental injury.
 - iii. Keloid is a result of neoplastic surgery (e.g., hypertrophic keloid scar formation due to radiation therapy to a specific body part).
 - iv. Keloid formation secondary to burns scars
 - v. Lesion is suspicious of a malignancy.
 - vi. Lesion causes infection, bleeding, and inflammation at site.
 - vii. Removal for formations due to body piercings, tattoos are not medically necessary.
7. **Labial Hypertrophy:** Excision of excessive skin and subcutaneous tissue for hypertrophy of the labia is not a covered benefit.
8. **Photochemotherapy and Phototherapy :**
- i. Phototherapy (ultraviolet B Radiation (UVB)) and photochemotherapy (psoralen and ultraviolet A (PUVA)) are medically necessary when there has been a failure, intolerance, or contraindication to treatment using conventional medical management for ANY of the following medical conditions:
 - a. Atopic dermatitis (atopic eczema)
 - b. Chronic plaque psoriasis
 - c. Connective tissue diseases involving the skin (e.g., cutaneous graft vs. host disease [GVHD], localized scleroderma, lupus erythematosus)
 - d. Cutaneous T-cell lymphoma (CTCL), including mycosis fungoides (MF)
 - e. Grover's disease (transient and persistent acantholytic dermatosis)
 - f. Lichen planus
 - g. Photo dermatoses (e.g., polymorphic light eruption, actinic prurigo, chronic actinic dermatitis)
 - h. Pityriasis
 - ii. UVA and UVB therapy to treat hair loss (Alopecia Areata) is a cosmetic treatment and is not medically necessary.

C. Treatment of Psoriasis

- 1. The following conventional treatments of psoriasis are medically necessary:
 - i. Systemic Treatment, may include the following:
 - a. 6-Thioguanine (not FDA approved for the treatment of plaque psoriasis)
 - b. Antibiotics
 - c. Azathioprine (Imuran)
 - d. Biologic Response Modifiers
 - e. Cyclosporine
 - f. Hydroxyurea (Hydrea)
 - g. Methotrexate
 - h. Mycophenolate mofetil
 - i. Retinoids
 - j. Sulfasalazine
 - k. Tacrolimus

- ii. Topical treatments, may include:
 - a. Anthralin or tazarotene
 - b. Bath Solutions
 - c. Calcipotriene
 - d. Coal Tar
 - e. Corticosteroids
 - f. Moisturizers
 - g. Retinoids
 - h. Salicylic Acid
 - i. Topical Immodulators (TIMs)
 - iii. Combination Therapy
 - a. Photochemotherapy
 - b. Phototherapy + topicals (tar, calcipotriene, retinoids)
 - c. Retinoids + UV
 - d. Biologics + UV, Biologics + Systemics
 - iv. Intralesional injections of steroids
 - a. Intralesional injections of steroids are reserved for local lesions that have been resistant to topical applications.
 - v. Light Therapy including the following:
 - a. Sunlight
 - b. UVB therapy. Additional criteria apply.
 - c. PUVA therapy
 - d. Light therapy combined with other therapies
2. Laser Therapy: The following are medically necessary for the treatment of plaque psoriasis that have been unresponsive to conventional treatment methods:
- i. Pulsed dye laser (PDL)
 - ii. Excimer laser - use of excimer laser therapy (i.e., 308 nanometers [nm]) or the flash lamp-pumped pulsed dye laser (FLPDL) for the treatment of adult patients is medically necessary when all of the following criteria are met
 - a. Treatment is for localized, symptomatic psoriasis of the hands, feet, knees, elbows, scalp or face.
 - b. Patients with chronic, stable, localized, mild to moderate plaque psoriasis.
 - c. Those with < 10 % body surface area (BSA) involvement of plaque psoriasis and some or all of these lesions have proven refractory to at least a two-month trial of conservative treatment of topical agents and/or non-laser phototherapy.
 - d. Conventional treatment with at least three of the below defined treatments for psoriasis have failed:
 - 1. Topical treatments
 - 2. Light therapy
 - 3. Systemic treatment
 - 4. Combination treatment
 - 5. Intralesional injections of steroids

- e. Lesions have previously been shown to be responsive to UVB treatment.
- f. The use of excimer lasers is excluded if any of the following applies:
 - 1. A history of photosensitivity
 - 2. A history of keloid formation
 - 3. Persons < 18 years of age
 - a. Individual consideration will be given to requests for excimer or FLPDL laser therapy for members 12-17 years old. Such requests must meet the same criteria as for adult patients as stated above. In addition, detailed clinical information must be supplied as to prior treatments and response, the rationale for the request, and specific treatment plans and goals for such pediatric members.
 - 4. Pregnant or lactating
 - 5. Psoriasis that responds to standard therapies
 - 6. Those with $\geq 10\%$ body surface area involvement of plaque-type psoriasis
 - 7. Those with other types of psoriasis
- 3. Office-based or on-site phototherapy (UVB) treatment for psoriasis is a covered benefit when *all* of the following apply:
 - i. Ordered and managed by a dermatologist.
 - ii. Severe disabling psoriasis (>10% of body) unresponsive to conventional treatment.
- 4. At home phototherapy (UVB)
 - i. Home UVB units are medically necessary when all of the following are met:
 - a. Ordered and managed by a dermatologist.
 - b. Severe disabling psoriasis (>10% of body) unresponsive to conventional treatment (see list from Treatment of Psoriasis).
 - c. Member is unable to travel for office-based treatment due to serious medical or physical conditions (e.g. confined to the home, severity and frequency of flares).
 - d. History of frequent psoriasis flares which require immediate treatment to control.
 - e. The treatment has been continuous, long term (> 1 year in duration), and has been shown to be effective for the member and is expected to continue long term.
 - f. The UVB home device is the smallest size appropriate for the treatment area (e.g., hand wand for hand).
 - ii. Home UVB treatments for indications other than psoriasis including vitiligo are experimental and investigational and/or not medically necessary.
- 5. Medicaid members: Home phototherapy is not a covered benefit for Medicaid.

6. Home tanning beds are not a covered benefit.

D. Treatment of Rosacea

1. Antibiotic treatments
 - i. Limitations may apply. Please check benefit plan descriptions and formularies for details on which specific medications are covered if any. The medications may not be covered for members without pharmacy benefit plans; in addition, some pharmacy benefit plans may exclude or limit coverage of some or all of these medications.
2. Retinoids are covered with limitations.
3. Surgical treatment is not covered.
4. Broad band light therapy is considered cosmetic and not medically necessary.

E. The following are not medically necessary and/or experimental and investigational:

1. Cryotherapy for acne
2. Salabrasion
3. Total Body Photography (e.g. Vectra WB360) for documentation of skin lesions is considered not medically necessary.

II. GOVERNMENT REGULATIONS

CMS Coverage Determinations	Title and Number
National Coverage Determinations (NCDs)	Treatment of Psoriasis, 250.1
Local Coverage Determinations (LCDs)	
CGS Administrators, LLC	Removal of Benign Skin Lesions, L34200
Noridian Healthcare Solutions, LLC	Benign Skin Lesion Removal (Excludes Actinic Keratosis, and Mohs), L34233 & L33979
Wisconsin Physicians Service Insurance Corporation	Removal of Benign Skin Lesions, L35498

III. GUIDELINES/POSITION STATEMENTS

Medical or Professional Society	Recommendation
Joint American Academy of Dermatology & National Psoriasis Foundation guidelines	Guidelines of care for the management and treatment of psoriasis with topical therapy and alternative medicine modalities for psoriasis severity measures Guidelines of care for the management of psoriasis with systemic non-biological therapies

	Guidelines of care for the management and treatment of psoriasis in pediatric patients Guidelines of care for the management and treatment of psoriasis with phototherapy Guidelines of care for the management and treatment of psoriasis with biologics
European Dermatology Forum (EDF)	European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics: Update 2022

IV. MEDICAL NECESSITY REVIEW

Prior authorization for certain drug, services, and procedures may or may not be required. In cases where prior authorization is required, providers will submit a request demonstrating that a drug, service, or procedure is medically necessary. For more information, please refer to the [Priority Health Provider Manual](#).

Home phototherapy (UVB) units:

- Units over \$1,000 require authorization for commercial products.
- Not a covered benefit for Medicaid.

V. APPLICATION TO PRODUCTS

Coverage is subject to member's specific benefits. Group specific policy will supersede this policy when applicable.

- ❖ **HMO/EPO:** *This policy applies to insured HMO/EPO plans.*
- ❖ **POS:** *This policy applies to insured POS plans.*
- ❖ **PPO:** *This policy applies to insured PPO plans. Consult individual plan documents as state mandated benefits may apply. If there is a conflict between this policy and a plan document, the provisions of the plan document will govern.*
- ❖ **ASO:** *For self-funded plans, consult individual plan documents. If there is a conflict between this policy and a self-funded plan document, the provisions of the plan document will govern.*
- ❖ **INDIVIDUAL:** *For individual policies, consult the individual insurance policy. If there is a conflict between this medical policy and the individual insurance policy document, the provisions of the individual insurance policy will govern.*
- ❖ **MEDICARE:** *Coverage is determined by the Centers for Medicare and Medicaid Services (CMS) and/or the Evidence of Coverage (EOC); if a coverage determination has not been adopted by CMS, this policy applies.*
- ❖ **MEDICAID/HEALTHY MICHIGAN PLAN:** *For Medicaid/Healthy Michigan Plan members, this policy will apply. Coverage is based on medical necessity criteria being met and*

the appropriate code(s) from the coding section of this policy being included on the Michigan Medicaid Fee Schedule located at: http://www.michigan.gov/mdch/0,1607,7-132-2945_42542_42543_42546_42551-159815--,00.html. If there is a discrepancy between this policy and the Michigan Medicaid Provider Manual located at: http://www.michigan.gov/mdch/0,1607,7-132-2945_5100-87572--,00.html, the Michigan Medicaid Provider Manual will govern. If there is a discrepancy or lack of guidance in the Michigan Medicaid Provider Manual, the Priority Health contract with Michigan Medicaid will govern. For Medical Supplies/DME/Prosthetics and Orthotics, please refer to the Michigan Medicaid Fee Schedule to verify coverage.

V. DESCRIPTION

The skin is composed of an outer layer – the epidermis, and a thicker inner layer – the dermis. The epidermis contains keratinocytes, melanocytes, and Merkel’s cell disks (touch-sensitive cells). The dermis is made up of connective tissue, which contains protein, collagen, and elastic fibers. It also contains blood and lymph vessels, sensory receptors, related nerves (those that sense heat and cold, texture, pressure and trauma), and sebaceous and sweat glands. There is a subcutaneous layer of fatty tissue immediately below the dermis. Fibers from the dermis attach the skin to the subcutaneous layer and the underlying tissues and organs also connect to the subcutaneous layer.

Phototherapy involves exposure to type A ultraviolet (UVA) radiation or type B ultraviolet (UVB) phototherapy or a combination UVA/UVB phototherapy. Photochemotherapy include administration of psoralens (P) and exposure to type A ultraviolet (UVA) radiation, known as PUVA photochemotherapy, and combinations of P/UVA/UVB.

Home phototherapy (UVB) for treatment of vitiligo is not supported by adequate safety and efficacy data at this time. According to the International Vitiligo Task Force home phototherapy demonstrated better compliance, similar repigmentation outcomes, similar frequency of adverse effects and lower time investment, but significantly less patient satisfaction than in office-treatment. (Seneschal et al., 2023). Optimal dosing of UVB administration and patient selection is a challenge for this indication. The Vitiligo Working Group (Mohammad et al., 2017) states that “There are no consistent guidelines regarding the administration of narrowband ultraviolet B phototherapy to patients with vitiligo.” A systematic review by Ashraf and colleagues (2022) included 3 studies totaling 195 participants. The publications included were randomized controlled trials comparing home-based phototherapy with institution-based phototherapy or placebo/no phototherapy for vitiligo. The primary outcome was treatment effectiveness. Findings on effectiveness were contradictory across studies with variable rates of repigmentation. There was no significant difference in repigmentation rates between the groups, although adherence to treatment schedules was found to be significantly better in home-based groups. Adverse effects were significantly higher in home-based groups. No long-

term data were reported on maintenance of treatment benefits. The authors concluded that due to the significantly higher rates of adverse events in home-based UVB groups, it is difficult to recommend home phototherapy in clinical practice and larger randomized controlled trials are needed to evaluate this treatment modality.

Psoriasis is a chronic inflammatory skin disease that can begin at any age. There are multiple clinical subtypes of psoriasis. The most common form of psoriasis is chronic plaque psoriasis, other major subtypes include guttate psoriasis, pustular psoriasis, and erythrodermic psoriasis. Conventional treatment may be divided into the following six categories: Topical treatments, light therapy, systemic treatment, combination therapy, intralesional injections of steroids, and laser therapy.

Dermabrasion is a surgical skin procedure in which a specialized handheld instrument is used remove the surface of the epidermis of the skin (the stratum corneum) with the purpose of improving skin contour. The procedure may be used for treating large areas when lesions are too large to treat effectively with topical preparations.

Chemical peel is a common facial skin resurfacing procedure using a controlled induction of caustic substances to the skin in order to induce injury. Light or superficial chemical peels cause injury only to the epidermis. Medium-depth peels injure the epidermis and papillary dermis while deep chemical peels induce the greatest degree of injury, extending into the reticular dermis.

Rosacea is a chronic disorder involving inflammation of the cheeks, nose, chin, forehead, or eyelids. It may cause redness, prominent blood vessels, swelling, or skin eruptions similar to acne. The cause of rosacea is unknown. The treatment is aimed at the control of redness, inflammation, and skin eruptions. Rosacea is not medically dangerous. It is not curable, but usually is controllable with treatment. It may be persistent and chronic. Complications of Rosacea include permanent changes in appearance, psychological damage, and loss of self-esteem. Long-term treatment (5 to 8 weeks or more) with oral antibiotics such as tetracycline may control skin eruptions. Oral medications similar to vitamin A (isoretinol or Accutane) are a stronger alternative. The treatment of skin eruptions may also include long-term treatment with topical (applied to a localized area of the skin) antibiotics such as metronidazole. In severe cases, laser surgery may help reduce the redness. Surgical reduction of enlarged nose tissue may also improve the patient's appearance.

Total Body Photography

Total-body photography is an emerging technology which allows for fast acquisition of high-resolution macroscopic images of the skin surface to support clinicians in monitoring patient skin lesions over time. Both two-dimensional and

three-dimensional photography are available. Integrated software allows sorting of lesions by characteristics such as size and color and compares change in lesions over time. Dermoscopic images can be linked to the 3D images.

In a 2023 study by Cerminara and colleagues, the diagnostic performance of artificial intelligence with 2D and 3D total body photography in a high-risk population for melanoma was evaluated. 1690 melanocytic lesions in 143 patients with high-risk criteria for melanoma were evaluated by dermatologists, 2D-FotoFinder-ATBM and 3DVectra WB360 total body photography (TBP). Lesion excision was based on the dermatologists' dichotomous decision, an elevated CNN risk score (study-specific malignancy cut-off: FotoFinder > 0.5, Vectra > 5.0) and/or the second dermatologist's assessment with CNN support. The diagnostic accuracy of the 2D and 3D CNN classification was compared with that of the dermatologists and the augmented intelligence based on histopathology and dermatologists' assessment. The authors found that the sensitivity, specificity, and receiver operating characteristics area under the curve (ROC-AUC) for risk-score-assessments compared to histopathology of 3D-CNN with 95% confidence intervals (CI) were 90.0%, 64.6% and 0.92 (CI 0.85–1.00), respectively. While dermatologists and augmented intelligence achieved the same sensitivity (90%) and comparable classification ROC-AUC (0.91 [CI 0.80–1.00], 0.88 [CI 0.77–1.00]) with 3D-CNN, their specificity was superior (92.3% and 86.2%, respectively). The 2D-CNN (sensitivity: 70%, specificity: 40%, ROC-AUC: 0.68 [CI 0.46–0.90]) was outperformed by 3D CNN and dermatologists. The 3D-CNN showed a higher correlation coefficient for repeated measurements of 246 lesions ($R = 0.89$) than the 2D-CNN ($R = 0.79$). The mean naevus count per patient varied significantly (gold standard: 210 lesions; 3D-CNN: 469; 2D-CNN: 1324; $p < 0.0001$). This study emphasizes the importance of validating the classification of CNNs in real life. The novel 3D-CNN device outperformed the 2D-CNN and achieved comparable sensitivity with dermatologists. The low specificity of CNNs and the lack of automated counting of TBP nevi currently limit the use of augmented intelligence in clinical practice.

V. CODING INFORMATION

A. Not Covered Diagnosis

Evaluation & Management codes for new or established patients are covered when billed with the following diagnosis codes. Treatment of these conditions is not covered:

ICD-10 Codes:

L57.3	Poikiloderma of Civatte
L63.0 - L63.9	Alopecia areata
L64.0 - L64.9	Androgenic alopecia
L65.0 - L65.9	Other nonscarring hair loss
L66.0 - L66.9	Cicatricial alopecia [scarring hair loss]

L70.0 - L70.9	Acne	L71.1 - L71.9	Rosacea
L73.0	Acne keloid		
L81.0 - L81.9	Other disorders of pigmentation		
L84	Corns and callosities		
L95.8	Other vasculitis limited to the skin		
L95.9	Vasculitis limited to the skin, unspecified		
L98.8	Other specified disorders of the skin and subcutaneous tissue		
L98.9	Disorder of the skin and subcutaneous tissue, unspecified		

B. Treatment of skin conditions

1. PUVA and UVB Treatment

ICD-10 Codes: *These diagnoses support medical necessity of the procedures listed below:*

B36.0	Pityriasis versicolor
C84.00 - C84.09	Mycosis fungoides
C84.10 - C84.19	Sezary disease
C86.6	Primary cutaneous CD30-positive T-cell proliferations
D89.810 - D89.813	Graft-versus-host disease
L11.1	Transient acantholytic dermatosis [<i>Grover</i>]
L20.0 - L20.9	Atopic dermatitis
L28.0 - L28.2	Lichen simplex chronicus and prurigo
L29.0 - L29.9	Pruritus ani
L30.5	Pityriasis alba
L40.0 - L40.9	Psoriasis
L41.0 - L41.9	Parapsoriasis
L42	Pityriasis rosea
L43.0 - L43.9	Lichen planus
L44.0 - L44.9	Other papulosquamous disorders
L45	Papulosquamous disorders in diseases classified elsewhere
L56.0 - L56.9	Other acute skin changes due to ultraviolet radiation
L66.1	Lichen planopilaris
L80	Vitiligo
L90.0	Lichen sclerosus et atrophicus
L94.0	Localized scleroderma [<i>morphea</i>]
L94.1	Linear scleroderma
L94.3	Sclerodactyly
L94.5	Poikiloderma vascular atrophicans
L98.1	Factitial dermatitis
T86.00 - T86.09	Complications of bone marrow transplant

CPT/HCPCS Codes:

96900	Actinotherapy (ultraviolet light)
96910	Photochemotherapy; tar and ultraviolet B (Goeckerman treatment) or petrolatum and ultraviolet B
96912	Photochemotherapy; psoralens and ultraviolet A (PUVA)
96913	Photochemotherapy (Goeckerman and/or PUVA) for severe photo responsive dermatoses requiring at least four to eight hours of care under direct supervision of the physician (includes application of medication and dressings)

2. Home Phototherapy

ICD-10 Codes: *These diagnoses may support medical necessity of the devices listed below:*

L40.0 - L40.4 Psoriasis
L40.8 Other psoriasis
L40.9 Psoriasis, unspecified
L41.0 - L41.9 Parapsoriasis

CPT/HCPCS Codes:

Prior Authorization required for these devices.

(Not covered for Priority Health Medicaid)

E0691 Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection; treatment area two square feet or less
E0692 Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, four foot panel
E0693 Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eye protection, six foot panel
E0694 Ultraviolet multidirectional light therapy system in six foot cabinet, includes bulbs/lamps, timer and eye protection

3. Photodynamic Therapy

ICD-10 Codes: *This diagnosis supports medical necessity of the CPT/HCPCS codes listed below:*

L57.0 Actinic keratosis

CPT/HCPCS Codes:

96567 Photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitive drug(s), per day
96573 Photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitizing drug(s) provided by a physician or other qualified health care professional, per day
96574 Debridement of premalignant hyperkeratotic lesion(s) (i.e., targeted curettage, abrasion) followed with photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitizing drug(s) provided by a physician or other qualified health care professional, per day
J7308 Aminolevulinic acid HCl for topical administration, 20%, single unit dosage form (354 mg)
J7345 Aminolevulinic acid HCl for topical administration, 10% gel, 10 mg

4. Laser Therapy

ICD-10 Codes: *These diagnoses support medical necessity of the procedures listed below:*

L40.0 - L40.4 Psoriasis

L40.8 Other psoriasis
 L40.9 Psoriasis, unspecified

CPT/HCPCS Codes:

96920 Excimer laser treatment for psoriasis; total area less than 250 sq cm
 96921 Excimer laser treatment for psoriasis; 250 sq cm to 500 sq cm
 96922 Excimer laser treatment for psoriasis; over 500 sq cm

5. Facial Dermabrasion

ICD-10 Codes: *The following procedures are covered for these diagnoses only:*

C44.00 - C44.99 Other and unspecified malignant neoplasm of skin
 D48.5 Neoplasm of uncertain behavior of skin
 D49.2 Neoplasm of unspecified behavior of bone, soft tissue, and skin
 L57.0 Actinic keratosis

CPT/HCPCS Codes:

15780 Dermabrasion; total face (e.g., for acne scarring, fine wrinkling, rhytids, general keratosis)
 15781 Dermabrasion; segmental, face
 15782 Dermabrasion; regional, other than face

6. Chemical Peel

ICD-10 Codes: *The following procedures are covered only for the diagnoses below:*

C44.00 - C44.99 Other and unspecified malignant neoplasm of skin
 D48.5 Neoplasm of uncertain behavior of skin
 D49.2 Neoplasm of unspecified behavior of bone, soft tissue, and skin
 L57.0 Actinic keratosis

CPT/HCPCS Codes:

15788 Chemical peel, facial; epidermal
 15789 Chemical peel, facial; dermal
 15792 Chemical peel, nonfacial; epidermal
 15793 Chemical peel, nonfacial; dermal

7. Not Covered Conditions

ICD-10 Codes: *Services billed with these diagnoses are not covered.*

L57.3 Poikiloderma of Civatte
 L63.0 – L63.9 Alopecia areata
 L64.0 – L64.9 Androgenic alopecia
 L65.0 – L65.9 Other nonscarring hair loss
 L66.0 – L66.9 Cicatricial alopecia [scarring hair loss]
 L70.0 - L70.9 Acne
 L71.1 - L71.9 Rosacea
 L73.0 Acne keloid
 L81.0 – L81.9 Other disorders of pigmentation
 L95.8 Other vasculitis limited to the skin

L95.9	Vasculitis limited to the skin, unspecified
L98.8	Other specified disorders of the skin and subcutaneous tissue
L98.9	Disorder of the skin and subcutaneous tissue, unspecified

CPT/HCPCS Codes:

Evaluation & Management codes for new or established patients are allowed when billed with the diagnoses above.

Treatment services NOT COVERED for the diagnoses above include but are not limited to:

- Medicine services including injections
- Medication used in treatment except that which is subject to pharmacy coverage
- Minor or major surgical procedures including but not limited to:
 - 10040 Acne surgery (e.g., marsupialization, opening or removal of multiple milia, comedones, cysts, pustules)
 - 15780 Dermabrasion; total face (e.g., for acne scarring, fine wrinkling, rhytids, general keratosis)
 - 15781 Dermabrasion; segmental, face
 - 15782 Dermabrasion; regional, other than face
 - 15783 Dermabrasion; superficial, any site, (e.g., tattoo removal)
 - 15786 Abrasion; single lesion (e.g., keratosis, scar)
 - 15787 Abrasion; each additional four lesions or less (List separately in addition to code for primary procedure)
 - 15788 Chemical peel, facial; epidermal
 - 15789 Chemical peel, facial; dermal
 - 15792 Chemical peel, nonfacial; epidermal
 - 15793 Chemical peel, nonfacial; dermal
 - 17106 Destruction of cutaneous vascular proliferative lesions (e.g., laser technique); less than 10 sq. cm
 - 17107 Destruction of cutaneous vascular proliferative lesions (e.g., laser technique); 10.0 to 50.0 sq. cm
 - 17108 Destruction of cutaneous vascular proliferative lesions (e.g., laser technique); over 50.0 sq. cm
 - 17340 Cryotherapy (CO2 slush, liquid N2) for acne
 - 17360 Chemical exfoliation for acne (e.g., acne paste, acid)

8. Treatment of Labial Hypertrophy – Not Covered

ICD-10 Codes: *Services billed with this diagnosis are not covered.*

N90.60	Unspecified hypertrophy of vulva
N90.61	Childhood asymmetric labium majus enlargement
N90.69	Other specified hypertrophy of vulva

CPT/HCPCS Codes:

15839	Excision, excessive skin and subcutaneous tissue (includes lipectomy); other area
56620	Vulvectomy simple; partial

9. Other Not Covered

CPT/HCPCS Codes:

- E1399 Durable medical equipment, miscellaneous (*Explanatory notes must accompany claims billed with unlisted codes.*) Not covered when billed for scalp cooling device
- 11950 Subcutaneous injection of filling material (e.g., collagen); 1 cc or less
- 11951 Subcutaneous injection of filling material (e.g., collagen); 1.1 to 5.0 cc
- 11952 Subcutaneous injection of filling material (e.g., collagen); 5.1 to 10.0 cc
- 11954 Subcutaneous injection of filling material (e.g., collagen); over 10.0 cc
- 15775 Punch graft for hair transplant; 1 to 15 punch grafts
- 15776 Punch graft for hair transplant; more than 15 punch grafts
- 17380 Electrolysis epilation, each 30 minutes
- 0700T Molecular fluorescent imaging of suspicious nevus; first lesion
- 0701T Molecular fluorescent imaging of suspicious nevus; each additional lesion (List separately in addition to code for primary procedure)
- 96931 Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first lesion
- 96932 Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, first lesion
- 96933 Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, first lesion
- 96934 Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, each additional lesion (List separately in addition to code for primary procedure)
- 96935 Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; image acquisition only, each additional lesion (List separately in addition to code for primary procedure)
- 96936 Reflectance confocal microscopy (RCM) for cellular and sub-cellular imaging of skin; interpretation and report only, each additional lesion (List separately in addition to code for primary procedure)

10. Other benign conditions: *Coverage may be subject to nonstandard cost sharing or may be excluded. See plan documents.*

Removal of skin tags

- 11200 Removal of skin tags, multiple fibro cutaneous tags, any area; up to and including 15 lesions
- 11201 Removal of skin tags, multiple fibro cutaneous tags, any area; each additional 10 lesions, or part thereof (List separately in addition to code for primary procedure)

Seborrheic Keratosis

ICD-10 Diagnosis:

- L82.0 Inflamed seborrheic keratosis
- L82.1 Other seborrheic keratosis

Professional or facility treatment services for the diagnoses above include but are not limited to:

- Anesthesia
- Minor or major surgical procedures
- Not covered for Medicaid

Vitiligo

ICD-10 Diagnosis:

L80 Vitiligo

Professional or facility treatment services for the diagnoses above include but are not limited to:

- Anesthesia
- Medical procedures and services
- Limitations do not include treatments mentioned elsewhere in this policy

Treatment of Lipoma

ICD-10 Diagnosis:

- D17.0 Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face and neck
- D17.1 Benign lipomatous neoplasm of skin and subcutaneous tissue of trunk
- D17.20 0 D17.24 Benign lipomatous neoplasm of skin and subcutaneous tissue of limb
- D17.30 – D17.39 Benign lipomatous neoplasm of skin and subcutaneous tissue of other and unspecified sites
- D 17.9 Benign lipomatous neoplasm, unspecified

Professional or facility treatment services for the diagnoses above include but are not limited to:

- Anesthesia
- Minor or major surgical procedures

C. Suspicious Lesions:

From Principles of CPT Coding: “When an excised lesion is a neoplasm of uncertain morphology (i.e. benign vs. malignant), choosing the correct CPT code relates to the manner in which the lesion was approached rather than the final pathologic diagnosis, since the CPT code should reflect the knowledge, skill, time, and effort that the physician invested in the excision of the lesion. Therefore, an ambiguous but low-suspicion lesion might be excised with minimal surrounding grossly normal skin/soft tissue margins, as for benign lesion codes. An ambiguous but moderate-to high-suspicion lesion would be excised with moderate to wide surrounding grossly normal skin/soft tissue margins as for malignant lesions codes.”

VI. REFERENCES

1. Erceg A, de Jong EM, van de Kerkhof PC, Seyger MM. The efficacy of pulsed dye laser treatment for inflammatory skin diseases: a systematic review. J Am Acad Dermatol. 2013 Oct;69(4):609-615.e8.

Actinic Keratosis

2. Rubel DM, Spelman L, Murrell DF, See JA, Hewitt D, Foley P, Bosc C, Kerob D, Kerrouche N, Wulf HC, Shumack S. Daylight photodynamic therapy with methyl aminolevulinate cream as a convenient, similarly effective, nearly painless alternative to conventional photodynamic therapy in actinic keratosis treatment: a randomized controlled trial. *Br J Dermatol*. 2014 Nov;171(5):1164-71. Epub 2014 Oct 20. PMID: 24861492.
3. Walker JL, Siegel JA, Sachar M, Pomerantz H, Chen SC, Swetter SM, Dellavalle RP, Stricklin GP, Qureshi AA, DiGiovanna JJ, Weinstock MA. 5-Fluorouracil for Actinic Keratosis Treatment and Chemoprevention: A Randomized Controlled Trial. *J Invest Dermatol*. 2017 Jun;137(6):1367-1370.

Treatment of Psoriasis

4. American Academy of Dermatology Work Group, Menter A, Korman NJ, Elmets CA, Feldman SR, Gelfand JM, Gordon KB, Gottlieb A, Koo JY, Lebwohl M, Leonardi CL, Lim HW, Van Voorhees AS, Beutner KR, Ryan C, Bhushan R. Guidelines of care for the management of psoriasis and psoriatic arthritis: section 6. Guidelines of care for the treatment of psoriasis and psoriatic arthritis: case-based presentations and evidence-based conclusions. *J Am Acad Dermatol*. 2011 Jul;65(1):137-74. Epub 2011 Feb 8. PMID: 21306785.
5. Anderson KL, Feldman SR. A guide to prescribing home phototherapy for patients with psoriasis: the appropriate patient, the type of unit, the treatment regimen, and the potential obstacles. *J Am Acad Dermatol*. 2015 May;72(5):868-78.e1. doi: 10.1016/j.jaad.2015.02.003. Epub 2015 Mar 5. PMID: 25748310.
6. Armstrong AW, Siegel MP, Bagel J, et al. From the Medical Board of the National Psoriasis Foundation: Treatment targets for plaque psoriasis. *J Am Acad Dermatol* 2017; 76:290.
7. Cohen AF, Tiemstra JD. Diagnosis and treatment of rosacea. *J Am Board Fam Pract*. 2002 MayJun;15(3):214-7.
8. Del Rosso JQ, et al. Update on the Management of Rosacea from the American Acne & Rosacea Society (AARS). *J Clin Aesthet Dermatol*. 2020 Jun;13(6 Suppl):S17-S24.
9. Gallo RL, Granstein RD, Kang S, Mannis M, Steinhoff M, Tan J, Thiboutot D. Standard classification and pathophysiology of rosacea: The 2017 update by the National Rosacea Society Expert Committee. *J Am Acad Dermatol*. 2018 Jan;78(1):148-155.
10. Gelfand JM, Armstrong AW, Lim HW, Feldman SR, Johnson SM, Claiborne WCC, Kalb RE, Jakus J, Mangold AR, Flowers RH, Bhutani T, Durkin JR, Bagel J, Fretzin S, Sheehan MP, Krell J, Reeder M, Kaffenberger J, Kartono F, Takeshita J, Bridges AM, Fielding E, Nehal US, Schaecher KL, Howard LM, Eakin GS, Báez S, Bishop BE, Fitzsimmons RC Jr, Papadopoulos M, Song WB, Linn KA, Hubbard RA, Shin DB, Callis Duffin K. Home- vs Office-Based Narrowband UV-B Phototherapy for Patients With Psoriasis: The LITE Randomized Clinical Trial. *JAMA Dermatol*. 2024 Dec 1;160(12):1320-1328.

- doi: 10.1001/jamadermatol.2024.3897. Erratum in: JAMA Dermatol. 2025 Mar 1;161(3):342. doi: 10.1001/jamadermatol.2024.6431. PMID: 39319513; PMCID: PMC11425190.
11. Lebwohl M, Ali S. Treatment of psoriasis. Part 1. Topical therapy and phototherapy. J Am Acad Dermatol. 2001 Oct;45(4):487-98; quiz 499-502. doi: 10.1067/mjd.2001.117046. PMID: 11568737.
 12. Menter A, Gelfand JM, Connor C, Armstrong AW, Cordoro KM, Davis DMR, Elewski BE, Gordon KB, Gottlieb AB, Kaplan DH, Kavanaugh A, Kiselica M, Kivelevitch D, Korman NJ, Kroshinsky D, Lebwohl M, Leonardi CL, Lichten J, Lim HW, Mehta NN, Paller AS, Parra SL, Pathy AL, Prater EF, Rahimi RS, Rupani RN, Siegel M, Stoff B, Strober BE, Tapper EB, Wong EB, Wu JJ, Hariharan V, Elmets CA. Joint American Academy of Dermatology-National Psoriasis Foundation guidelines of care for the management of psoriasis with systemic nonbiologic therapies. J Am Acad Dermatol. 2020 Jun;82(6):1445-1486. Epub 2020 Feb 28. PMID: 32119894.
 13. Menter A, Griffiths CE. Current and future management of psoriasis. Lancet 2007; 370:272.
 14. Menter A, Strober BE, Kaplan DH, Kivelevitch D, Prater EF, Stoff B, Armstrong AW, Connor C, Cordoro KM, Davis DMR, Elewski BE, Gelfand JM, Gordon KB, Gottlieb AB, Kavanaugh A, Kiselica M, Korman NJ, Kroshinsky D, Lebwohl M, Leonardi CL, Lichten J, Lim HW, Mehta NN, Paller AS, Parra SL, Pathy AL, Rupani RN, Siegel M, Wong EB, Wu JJ, Hariharan V, Elmets CA. Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with biologics. J Am Acad Dermatol. 2019 Apr;80(4):1029-1072. Epub 2019 Feb 13. PMID: 30772098.

Treatment of Rosacea

15. Thiboutot D, et al. Standard management options for rosacea: The 2019 update by the National Rosacea Society Expert Committee. J Am Acad Dermatol. 2020 Jun;82(6):1501-1510
16. Wilkin J, Dahl M, Detmar M, Drake L, Liang MH, Odom R, Powell F; National Rosacea Society Expert Committee. Standard grading system for rosacea: report of the National Rosacea Society Expert Committee on the classification and staging of rosacea. J Am Acad Dermatol. 2004 Jun;50(6):907-12.

Total Body Photography

17. Cerminara, S. E., et al. (2023). Diagnostic performance of augmented intelligence with 2D and 3D total body photography and convolutional neural networks in a high-risk population for melanoma under real-world conditions: A new era of skin cancer screening?. European journal of cancer (Oxford, England : 1990), 190, 112954. <https://doi.org/10.1016/j.ejca.2023.112954>
18. Garbe, C. et al, European Dermatology Forum (EDF), the European Association of Dermato-Oncology (EADO), and the European Organization for Research

and Treatment of Cancer (EORTC) (2022). European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics: Update 2022. European journal of cancer (Oxford, England : 1990), 170, 236–255. <https://doi.org/10.1016/j.ejca.2022.03.008>

19. Marchetti, M. A., et al. (2023). 3D Whole-body skin imaging for automated melanoma detection. Journal of the European Academy of Dermatology and Venereology : JEADV, 37(5), 945–950. <https://doi.org/10.1111/jdv.18924>
20. Soyer, H. P., O'Hara, M., V Silva, C., Horsham, C., Jayasinghe, D., Sanjida, S., Schaidt, H., Aitken, J., Sturm, R. A., Prow, T., Menzies, S. W., & Janda, M. (2023). Skin cancer excisions and histopathology outcomes when following a contemporary population-based cohort longitudinally with 3D total-body photography. Skin health and disease, 3(2), e216. <https://doi.org/10.1002/ski2.216>

Vitiligo

1. Ashraf AZ, et al. The effectiveness of home-based phototherapy for vitiligo: A systematic review of randomised controlled trials. Photodermatol Photoimmunol Photomed. 2022 Sep;38(5):409-417.
2. Mohammad TF, et al. The Vitiligo Working Group recommendations for narrowband ultraviolet B light phototherapy treatment of vitiligo. J Am Acad Dermatol. 2017 May;76(5):879-888.
3. Seneschal J, et al. Worldwide expert recommendations for the diagnosis and management of vitiligo: Position statement from the international Vitiligo Task Force-Part 2: Specific treatment recommendations. J Eur Acad Dermatol Venereol. 2023 Nov;37(11):2185-2195.

AMA CPT Copyright Statement:

All Current Procedure Terminology (CPT) codes, descriptions, and other data are copyrighted by the American Medical Association.

This document is for informational purposes only. It is not an authorization, certification, explanation of benefits, or contract. Receipt of benefits is subject to satisfaction of all terms and conditions of coverage. Eligibility and benefit coverage are determined in accordance with the terms of the member's plan in effect as of the date services are rendered. Priority Health's medical policies are developed with the assistance of medical professionals and are based upon a review of published and unpublished information including, but not limited to, current medical literature, guidelines published by public health and health research agencies, and community medical practices in the treatment and diagnosis of disease. Because medical practice, information, and technology are constantly changing, Priority Health reserves the right to review and update its medical policies at its discretion.

Priority Health's medical policies are intended to serve as a resource to the plan. They are not intended to limit the plan's ability to interpret plan language as deemed appropriate. Physicians and other providers are solely responsible for all aspects of medical care and treatment, including the type, quality, and levels of care and treatment they choose to provide.

The name "Priority Health" and the term "plan" mean Priority Health, Priority Health Managed Benefits, Inc., Priority Health Insurance Company and Priority Health Government Programs, Inc.